AUTHOR INDEX

Volume 65 • 1994

Abiko, Y. *See* Kamigaki, M.
Adachi, I. *See* Eigyo, M.
Adachi, K. *See* Majima, M.
Agata, M. *See* Matsumoto, J.
Akiyama, Y. *See* Tomiuga, T.
Amano, T., Matsubayashi, H., Momiyama, T. and Sasa, M.
D_3-agonist (7-OH-DPAT) on accumbens 293
Aniya, Y. *See* Naito, A.
Aoki, S. *See* Ozaki, M.
Aoyagi, T. *See* Majima, M.
Arai, N. *See* Tsutsumi, N.
Azuma, M. *See* Morita, Kyoji

Bay, B.-H. *See* Sit, K.-H.
Bessho, M. *See* Tomiuga, T.

Chiba, S. *See* Murakami, M.

Dohi, T. *See* Uchiyama, Y.

Ebihara, A. *See* Shiga, T.
Eigyo, M., Shiomi, T., Inoue, Y., Sakaguchi, I., Ishibashi, C., Murata, S., Koyabu, K., Matsushita, A., Adachi, I. and Ueda, M.
Anticonvulsant effect of S-312-d 175
Endo, H. *See* Tsutsumi, N.
Evangelista, S. *See* Tramontana, M.

Fujimoto, K. *See* Suzuki, T.
Fujimura, A. *See* Shiga, T.
Furukawa, Y. *See* Murakami, M.

Gando, S. *See* Hattori, Y.
Gomi, Y. *See* Suzuki, Nagao

Hamano, S. *See* Morita, Kyoji
Hara, K. *See* Tomiuga, T.
Hattori, T. *See* Hayashi, K.
Hattori, Y., Gando, S., Nagashima, M. and Kanno, M.
Cardiac histamine receptors and species 327
Hayashi, K., Nagamatsu, T., Ito, M., Hattori, T. and Suzuki, Y.
Antinephritic effect of acteoside 143
Hayashi, Y. *See* Kawanishi, T.
Higo, K. *See* Satoh, H.
—— *See* Shirakura, S.
Hirotsu, I., Koyama, M., Honbo, N. and Ohno, T.
(+)-3-PPP-induced hyperambulation 1
Honbo, N. *See* Hirotsu, I.
Honda, Kazuo *See* Yamano, M.
Honda, Kenji, Takano, Y. and Kamiya, H.
Activation of PLC by mACh receptor agonist 275
Hotta, K. *See* Ichikawa, T.

Ichihara, K. *See* Kamigaki, M.
Ichikawa, S. *See* Kishibayashi, N.
Ichikawa, T., Ishihara, K., Ogata, Y., Ohara, S., Saigenji, K. and Hotta, K.
Effects of Z-300 on mucin biosynthesis 63
Ide, S., Kondoh, M., Satoh, H. and Karasawa, A.
Benidipine and intimal thickening 89
Ideguchi, K. *See* Ueda, F.
Ido, T. *See* Yanai, K.
Ikeda, Y. *See* Majima, M.
Inagaki, C. *See* Yasukura, T.
Inoue, M. *See* Yasukura, T.
Inoue, Y. *See* Eigyo, M.
Ishibashi, C. *See* Eigyo, M.
Ishihara, K. *See* Ichikawa, T.
Ishii, A. *See* Kishibayashi, N.
—— *See* Kosaka, N.
—— *See* Takasaki, Kotaro
—— *See* Tomaru, A.
—— *See* Yokoyama, T.
Ishii, K., Motoyoshi, S., Kawata, J., Nakagawa, H. and Takeyama, K.
AA-induced ear edema, PGs and LTs 297
Ishii, K., Yakuo, I., Motoyoshi, S., Nakagawa, H. and Nakamura, H.
Inhibition of LT production by AL-3264 19
Ishimura, K. *See* Tamura, M.
—— *See* Tsuruo, Y.
Itagaki, M. *See* Nagasaki, M.
Ito, H. *See* Yamano, M.
Ito, M. *See* Hayashi, K.
Itoh, F. *See* Tsutsumi, N.
Iwata, H. *See* Yamamura, K.
Iwata, R. *See* Yanai, K.

Kagawa, S. *See* Tamura, M.
—— *See* Tsuruo, Y.
Kamato, T. *See* Yamano, M.
Kamigaki, M., Ichihara, K. and Abiko, Y.
K_{ATP} channel in myocardial ischemia 121
Kamijo, T., Tomaru, T., Yanagisawa-Miwa, A., Nakamura, F., Kido, H., Sugimoto, T. and Uchida, Y.
New canine model of heart failure 223
Kamishiro, T. *See* Matsukura, H.
Kamiya, H. *See* Honda, Kenji
Kane, K.A. *See* Komori, Sadayoshi
Kaneto, H. *See* Rahman, A.F.M.M.
Kanmatsuse, K. *See* Suzuki, Noboru
Kanno, M. *See* Hattori, Y.
Karasawa, A. *See* Ide, S.
—— *See* Kawakage, M.
—— *See* Kishibayashi, N.
—— *See* Satoh, H.
—— *See* Shirakura, S.
—— *See* Takasaki, Kotaro
—— *See* Tomaru, A.
—— *See* Yao, K.
—— *See* Yokoyama, T.
Kato, H. *See* Majima, M.
Katoh, Y. *See* Tomiuga, T.
Katori, M. *See* Majima, M.
Kawaguchi, K. *See* Matsukura, H.
Kawakage, M., Sato, K. and Karasawa, A.
TXA_2 in glomerulonephritis 163
Kawanishi, M. *See* Kawanishi, T.
Kawanishi, T., Kawanishi, M., Ohata, H., Toyoda, K., Takahashi, Michihito, Momose, K. and Hayashi, Y.
Ca^{2+} oscillation and cell proliferation 59

Kawasaki, H. *See* Nuki, C.
Kawashima, Kohtaro *See* Tsutsumi, N.
Kawashima, Koichiro *See* Suzuki, T.
Kawata, J. *See* Ishii, K.
Kido, H. *See* Kamijo, T.
Kimura, K. *See* Ueda, F.
Kishibayashi, N., Tomaru, A., Ichikawa, S., Kitazawa, T., Shuto, K., Ishii, A. and Karasawa, A.
Enhancement of GI motility by KW-5092 131
Kishibayashi, N. *See* Takasaki, Kotaro
—— *See* Tomaru, A.
Kitayama, S. *See* Uchiyama, Y.
Kitazawa, T. *See* Kishibayashi, N.
—— *See* Yokoyama, T.
Kobayashi, M. *See* Tomiuga, T.
Kobayashi, S. *See* Kumai, T.
Kobayashi, T. *See* Satoh, H.
Kojima, M. *See* Tsutsumi, N.
Komori, Sadayoshi, Sawanobori, T., Tamura, K., Kane, K.A. and Parratt, J.R.
NS-2 and AFD-19 on ventricular arrhythmias 193
Komori, Seiichi *See* Nagasaki, M.
Kondoh, M. *See* Ide, S.
Kosaka, N., Tanaka, H., Tomaru, A., Ishii, A. and Shuto, K.
Antiulcer effects of KW-5805 305
Koyabu, K. *See* Eigyo, M.
Koyama, M. *See* Hirotsu, I.
Kumai, T., Tanaka, M., Watanabe, M. and Kobayashi, S.
TH mRNA in adrenal medulla of SHR 367
Kuribayashi, Y. *See* Majima, M.
Kusaka, H. *See* Yao, K.

Maggi, C.A. *See* Tramontana, M.
Majima, M., Kuribayashi, Y., Ikeda, Y., Adachi, K., Kato, H., Katori, M. and Aoyagi, T.
Diuretic effect of ebelactone B 79
Masuda, M. *See* Matsukura, H.
Masuda, Y. *See* Ozaki, M.
Matsubayashi, H. *See* Amano, T.
Matsukura, H., Masuda, M., Kawaguchi, K., Uchida, A. and Kamishiro, T.
Cytoprotection of NC-1300-O-3 9
Matsukura, H., Masuda, M., Uchida, A. and Kamishiro, T.
NC-1300-O-3 on mucus and prostaglandins 319
Matsumoto, J., Takahashi, Toshie, Agata, M., Toyofuku, H. and Sasada, N.
IFO, a new selective MAO-B inhibitor 51
Matsushita, A. *See* Eigyo, M.
Mikami, T. *See* Yasukura, T.
Minami, N. *See* Uchiyama, Y.
Miyamoto, A., Sakota, T. and Nishio, A.
5-HT receptors on pig basilar artery 265
Miyasako, T. *See* Uchiyama, Y.
Miyata, K. *See* Yamano, M.
Mizuno, K. *See* Suzuki, Nagao
Mizuo, H. *See* Suzuki, Noboru
Momiyama, T. *See* Amano, T.
Momose, K. *See* Kawanishi, T.
Morita, Katsuya *See* Uchiyama, Y.
Morita, Kyoji *See* Tamura, M.
—— *See* Tsuruo, Y.
Morita, Kyoji, Hamano, S., Azuma, M. and Oka, M.
Ca^{2+} inhibition of catecholamine release 201
Motoyoshi, S. *See* Ishii, K.
Murakami, K. *See* Yanai, K.
Murakami, M., Furukawa, Y. and Chiba, S.
Glibenclamide and parasympathetic nerves 215
Murata, S. *See* Eigyo, M.

Nabeshima, T. *See* Yamamura, K.
Nagamatsu, T. *See* Hayashi, K.
Nagaoka, N. *See* Suzuki, Noboru
Nagasaki, M., Itagaki, M., Komori, Seiichi and Ohashi, H.
Trimebutine on skinned smooth muscle 249
Nagashima, M. *See* Hattori, Y.
Nagata, H. *See* Tsutsumi, N.
Naito, A., Aniya, Y. and Sakanashi, M.
Antioxidative action of nicorandil 209
Nakagawa, H. *See* Ishii, K.
Nakajima, Y. *See* Tomiuga, T.
Nakamura, F. *See* Kamijo, T.
Nakamura, H. *See* Ishii, K.
Nakamura, T. *See* Tomiuga, T.
Nishida, A. *See* Yamano, M.
Nishio, A. *See* Miyamoto, A.
Nonaka, H. *See* Suzuki, T.
Nuki, C., Kawasaki, H., Takasaki, Koichiro and Wada, A.
Structure-activity study of chicken CGRP 99

Ogata, Y. *See* Ichikawa, T.
Ogihara, T. *See* Yokoyama, T.
Ohara, S. *See* Ichikawa, T.
Ohashi, H. *See* Nagasaki, M.
Ohata, H. *See* Kawanishi, T.
Ohno, T. *See* Hirotsu, I.
Oka, M. *See* Morita, Kyoji
Okamura, T. *See* Yoshida, K.
Omori, K. *See* Yasukura, T.
Osada, T. *See* Yamamura, K.
Ozaki, M., Aoki, S. and Masuda, Y.
K^+-linked GSSG release by BHP 183

Paramanantham, R. *See* Sit, K.-H.
Parratt, J.R. *See* Komori, Sadayoshi

Rahman, A.F.M.M., Takahashi, Masakatsu and Kaneto, H.
Pain and anxiety in morphine tolerance 313
Ryu, J.H. *See* Yanai, K.

Saigenji, K. *See* Ichikawa, T.
Sakaguchi, I. *See* Eigyo, M.
Sakai, N. *See* Yanai, K.
Sakanashi, M. *See* Naito, A.
Sakota, T. *See* Miyamoto, A.
Sasa, M. *See* Amano, T.
Sasada, N. *See* Matsumoto, J.
Sato, K. *See* Kawakage, M.
—— *See* Yao, K.
Sato, N. *See* Yokoyama, T.
Satoh, H. *See* Ide, S.
Satoh, H., Kobayashi, T., Higo, K. and Karasawa, A.
Cerebral injury and thromboxane A_2 45
Sawanobori, T. *See* Komori, Sadayoshi
Shiga, T., Fujimura, A. and Ebihara, A.
Chronopharmacology of spironolactone 179
Shiomi, T. *See* Eigyo, M.
Shirakura, S., Higo, K., Takeda, M. and Karasawa, A.
Thromboxane A_2 and thrombosis 93
Shuto, K. *See* Kishibayashi, N.
—— *See* Kosaka, N.
Sit, K.-H., Paramanantham, R., Bay, B.-H. and Wong, K.-P.
Proton pumping against acidification in Chang cells 83

Soekanto, A.
NSAID inhibits osteoclast-like cells 27
Suemitsu, T. *See* Uchiyama, Y.
Sugimoto, T. *See* Kamijo, T.
Suzuki, Nagao, Mizuno, K. and Gomi, Y.
Contractions in ileal circular muscle 233
Suzuki, Noboru, Suzuki, S., Nagaoka, N., Mizuo, H., Yuzuriha, T., Yoshitake, S. and Kanmatsuse, K.
Thrombolytic activity of E6010 257
Suzuki, S. *See* Suzuki, Noboru
Suzuki, T., Nonaka, H., Fujimoto, K. and Kawashima, Koichiro
Tacrine increases acetylcholine release 337
Suzuki, Y. *See* Hayashi, K.

Tajima, T. *See* Tomiuga, T.
Takahashi, Masakatsu *See* Rahman, A.F.M.M.
Takahashi, Michihito *See* Kawanishi, T.
Takahashi, Toshie *See* Matsumoto, J.
Takahashi, Toshihiro *See* Yanai, K.
Takano, Y. *See* Honda, Kenji
Takasaki, Koichiro *See* Nuki, C.
Takasaki, Kotaro, Kishibayashi, N., Ishii, A. and Karasawa, A.
KW-5092 improved rat colonic propulsion 67
Takeda, M. *See* Shirakura, S.
Takeyama, K. *See* Ishii, K.
Tamura, K. *See* Komori, Sadayoshi
Tamura, M. *See* Tsuruo, Y.
Tamura, M., Kagawa, S., Tsuruo, Y., Ishimura, K. and Morita, Kyoji
Flavonoid inhibition of NADPH diaphorase 371
Tanaka, H. *See* Kosaka, N.
Tanaka, M. *See* Kumai, T.
Taniguchi, N. *See* Ueda, F.
Toda, N. *See* Yoshida, K.
Tomaru, A. *See* Kishibayashi, N.
—— *See* Kosaka, N.
Tomaru, A., Ishii, A., Kishibayashi, N. and Karasawa, A.
Adenosine and colonic motility 361
Tomaru, T. *See* Kamijo, T.
Tomiuga, T., Kobayashi, M., Nakajima, Y., Bessho, M., Katoh, Y., Hara, K., Akiyama, Y., Nakamura, T. and Tajima, T.
Effect of menatetrenone on calcium balance 35
Toyoda, K. *See* Kawanishi, T.
Toyofuku, H. *See* Matsumoto, J.
Tramontana, M., Maggi, C.A. and Evangelista, S.
Intestinal spasmolytic effect of MEN 10,627 281
Tsuruo, Y. *See* Tamura, M.
Tsuruo, Y., Ishimura, K., Tamura, M., Kagawa, S. and Morita, Kyoji
Idebenone and NADPH diaphorase activity 285
Tsutsumi, N., Kawashima, Kohtaro, Nagata, H., Tsuyuki, J., Itoh, F., Arai, N., Kojima, M., Ujiie, A. and Endo, H.
Effects of KCA-098 on bone metabolism 343
Tsutsumi, R. *See* Yamano, M.
Tsuyuki, J. *See* Tsutsumi, N.

Uchida, A. *See* Matsukura, H.
Uchida, Y. *See* Kamijo, T.
Uchiyama, Y., Morita, Katsuya, Kitayama, S., Suemitsu, T., Minami, N., Miyasako, T. and Dohi, T.
Nitric oxide and catecholamine release 73
Ueda, F., Ideguchi, K., Taniguchi, N. and Kimura, K.
Adrenergic prostaglandin biosynthesis 113
Ueda, M. *See* Eigyo, M.
Ujiie, A. *See* Tsutsumi, N.
Uyama, M. *See* Yasukura, T.

Wada, A. *See* Nuki, C.
Watanabe, M. *See* Kumai, T.
Watanabe, T. *See* Yanai, K.
Wong, K.-P. *See* Sit, K.-H.

Yakuo, I. *See* Ishii, K.
Yamamura, K., Iwata, H., Osada, T., Yotsuyanagi, T. and Nabeshima, T.
Effects of ADR-HAP 289
Yamano, M., Kamato, T., Nishida, A., Ito, H., Yuki, H., Tsutsumi, R., Honda, Kazuo and Miyata, K.
Mode of 5-HT_3-receptor antagonism 241
Yanagisawa-Miwa, A. *See* Kamijo, T.
Yanai, K., Ryu, J.H., Sakai, N., Takahashi, Toshihiro, Iwata, R., Ido, T., Murakami, K. and Watanabe, T.
Methylthioperamide binding to H_3 receptor 107
Yao, K., Kusaka, H., Sato, K. and Karasawa, A.
Renal effects of KW-3902 167
Yasukura, T., Omori, K., Mikami, T., Inoue, M., Uyama, M. and Inagaki, C.
A cholinergic neuron-neurotrophic factor 153
Yokoyama, T., Kitazawa, T., Ishii, A., Ogihara, T., Sato, N. and Karasawa, A.
Cisapride and gastric mucosal blood flow 171
Yoshida, K., Okamura, T. and Toda, N.
Nitroxidergic nerve in monkey arteries 351
Yoshitake, S. *See* Suzuki, Noboru
Yotsuyanagi, T. *See* Yamamura, K.
Yuki, H. *See* Yamano, M.
Yuzuriha, T. *See* Suzuki, Noboru

SUBJECT INDEX

Volume 65 • 1994

AFD-19 (4-isobutylamino-1,1-diphenyl-1-butanol maleate) 193
AL-3264 (*N*-[4-[4-(diphenylmethyl)-1-piperazinyl]butyl]-3-(6-methyl-3-pyridyl) acrylamide) 19
ATP 215
ATPase sensitivity (F-ATPase and P-ATPase) 83
Acetylcholine release 337
Acteoside 143
Acute renal failure 167
Adenosine A_1-receptor antagonist 167
Adenosine agonist 361
Adenylate cyclase 327
Adrenal chromaffin cell 201
Adrenal medulla 367
Adrenergic receptor 113
Adriamycin 289
Aldosterone 179
Amacrine cell (retina) 153
Antiallergic drug 19
Antiarrhythmic drug (class I) 193
Anticonvulsant effect (DBA/2 mice) 175
Antigen-induced trachea contraction 19
Anti-inflammatory drug 313
Antioxidant 183, 209
Antiulcer effect 305
Anxiety 313
Arachidonate 45
Arachidonic acid-induced ear edema 297
Arachidonic acid-induced ear swelling 19
Arrhythmia (ischemia-induced, reperfusion-induced) 193
Artery (monkey) 351
Artery thrombus 257
Atropine 337
Autoinhibition 337

Basilar artery (pig) 265
Benidipine 89
von Bezold-Jarisch reflex 241
Binding 107
Bone formation 343
Bone marrow culture (mouse) 27
Bone resorption 343
Brain (mouse) 285
tert-Butyl hydroperoxide 183

Ca^{2+} oscillation 59
Calcitonin gene-related peptide (CGRP) (chicken) 99
Calcium antagonist 175
Calcium balance 35
Calcium excretion (fecal) 35
Calcium sensitivity 249
Calcium storage 249
Calcium transport (intestinal) 35
Carboxypeptidase Y 79
Catecholamine 73
Catecholamine secretion 201
Cell proliferation 59
Cerebral ischemia 45
Choline acetyltransferase 153
Choline esterase inhibitor 131
Chondrosarcoma (Swarm rat) 289
Chromaffin cell 73
Chronic pain 313
Chronopharmacology 179
Circular muscle 233
Cisapride 171
Colon (rat) 67
Competitive antagonist 179
Congestive heart failure (canine model) 223
Constipation 67
Contraction 265
Crescentic-type anti-GBM nephritis 143
Cytoprotection 305
Cytoprotective effect 9

L-Deprenyl 51
1α,25-Dihydroxyvitamin D_3 35
Diuresis 79
Dobutamine 223
Dopamine D_3 receptor 293
Dopaminergic system 1

E6010 (novel modified tissue-type plasminogen activator (t-PA)) 257
Ebelactone B 79
Edema (arachidonic acid-induced ear) 297
Electroencephalogram (EEG) 45
Electrophysiology 293
Energy metabolism 121
Extracellular Ca^{2+} 201

Femoral artery thrombus model 257
Flavonoid 371
Flow cytometric evaluation (BCECF ratio) 83
Formalin 313
Full agonist 275

G-protein 275
GSSG and K^+ release 183
Gastric acid secretion 305
Gastric epithelial cell (cultured, rabbit) 113
Gastric mucus secretion 319
Gastrointestinal motility 131
Giant migrating contraction 361
Glibenclamide 121, 215
Glutathione (oxidized) 183
Glutathione *S*-transferase 209
Glycerol 361

Heart (isolated dog) 215
Heart failure 223
Hippocampus 153, 337
Histamine 107
Histamine H_1 receptor 327
Histamine H_2 receptor 327
Histamine H_3 receptor 107
Histamine H_2-receptor antagonist 63
5-HT_1 receptor 265
5-HT_2 receptor 265
5-HT_3-receptor antagonism 241
Hydroxyapatite 289
[^{3}H]5-Hydroxytryptamine 265
Hyperambulation 1

IFO (3-[4-[3-(1*H*-imidazol-1-yl)propoxy]-phenyl]-5-trifluoromethyl-1,2,4-oxadiazole) 51
Idebenone 285
Ileum (guinea pig) 233, 275
Indomethacin 27, 297
Intestinal transit 281
Intimal thickening 89
Ipriflavone 343
Iron chelator 183

K_{ATP} channel 121
KCA-098 (3,9-bis(*N*,*N*-dimethylcarbamoyl-oxy)-5*H*-benzofuro[3,2-*c*]quinoline-6-one) 343
KW-3635 (sodium (*E*)-11-[2-(5,6-dimethyl-1-benzimidazolyl)ethylidene]-6,11-dihydro-dibenz[*b*,*e*]oxepin-2-carboxylate monohydrate) 45, 93, 163
KW-3902 (8-(noradamantan-3-yl)-1,3-dipropylxanthine) 167
KW-5092 ({1-[2-[[[5-(piperidinomethyl)-2-furanyl]methyl]amino]ethyl]-2-imidazolidinylidene}propanedinitrile fumarate) 67, 131
KW-5805 (5-[2-(diethylamino)ethyl]amino-5,11-dihydro[1]benzoxepino[3,4-*b*]pyridine trihydrochloride) 305

Leukotriene production 19
Leukotriene C_4 297
Lipid peroxidation 209
Liver (perfused rat) 183
Liver microsome 209

Menatetrenone (Vitamin K_2) 35
Mesenteric resistance vessel (rat) 99
[^{3}H](*R*)α-Methylhistamine 107
[^{3}H]*S*-Methylthioperamide 107
Monoamine oxidase (MAO)-B 51
Morphine tolerance 313
MPTP (1-methyl-4-phenyl-1,2,3,6-tetra-hydropyridine) 51
Mucin biosynthesis 63
Mucosal blood flow 171
Mucus 9
Multinucleated cell 27
Muscarinic agonist 275
Muscle contraction 249
Myocardial ischemia 121

NADPH diaphorase 285, 371
Na^+ channel (voltage-dependent) 201
Natriuresis 179
NC-1300-O-3 (2-[[2-(isobutylmethylamino)-benzyl]sulfinyl]-1*H*-benzomidazole) 9, 319
Necrotizing agent 9
Negative cardiac effect 215
Neostigmine 131
Nephritis 163
Neurokinin A 233
Neurokinin B 233
Neurokinin $(NK)_2$-receptor 281
Neurotrophic factor 153
Nicorandil 209
Nitric oxide 73
Nitric oxide synthase 351
Nitroglycerin 223
Nitroxidergic innervation 351
NS-2 (4-diisobutylamino-1,1-diphenyl-1-butanol maleate) 193

7-OH-DPAT (7-hydroxy-2-(*N,N*-di-*n*-propylamino)tetralin) 293
Ovariectomy 343

(+)-3-PPP ((+)-3-(3-hydroxyphenyl)-*N*-(1-propyl)piperidine) 1
Parasympathetic nerve 215
Parkinson's disease 51
Peptide 153
Perfused liver (rat) 183
Phosphatidylinositol hydrolysis 327
Phosphoinositide response 275
Plasma concentration 257
Plasminogen activator (tissue-type) 257
Positive inotropic effect 327
Propranolol 223
Prostaglandin 319
Prostaglandin biosynthesis 113
Prostaglandin E_2 27, 297
Proton pumping (M-phase and interphase) 83
Pterygopalatine ganglion 351

Quercetin 371

mRNA (tyrosine hydroxylase) 367
Ranitidine 131
Rat-C3 143
Rat-IgG 143
Renal failure (acute) 167

S-312-d (*d*-isomer of S-312 (methyl 4,7-dihydro-3-isobutyl-6-methyl-4-(3-nitrophenyl)-thieno-(2,3-*b*)-pyridine-5-carboxylate)) 175
Sigma receptor 1
Skinned smooth muscle 249
Smooth muscle cell 59
Sodium salicylate 27
Spironolactone 179
Spontaneously hypertensive rat 367
Stomach (rat) 171
Structure-activity relationship 99
Substance P 233
Swarm rat chondrosarcoma 289
Swelling (arachidonic acid-induced ear) 19

Tachykinin 281
Tacrine 337
4,5,6,7-Tetrahydrobenzimidazole derivative 241
Thrombolytic activity 257
Thrombosis 93
Thromboxane A_2 45, 93
Thromboxane A_2-receptor antagonist 163
Trachea contraction (antigen-induced) 19
Trimebutine 249
Tyrosine hydroxylase mRNA 367

Vasodilation 99
Vasodilator nerve 351
Ventricular myocardium 327
Veratridine 201

Z-300 (*N*-[3-[3-(piperidinomethyl)phenoxy]-propyl]-2-(2-hydroxyethyl-1-thio)acetamido·2-(4-hydroxy benzoyl)benzoate) 63
Zileuton 297